

Project SmokeLess--Big Ten Smoking Policy Comparison

School	Policy	Link
Indiana	<ul style="list-style-type: none"> <input type="checkbox"/> The use or sale of tobacco and tobacco products is prohibited on university- owned, -operated, or -leased property and vehicles effective January 1, 2008. <input type="checkbox"/> All campus locations are mandated to follow the policy 	http://www.indiana.edu/~uhrs/smoke-free/BL-policy.html
Iowa	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited on University of Iowa Hospitals and Clinics grounds and University Health Sciences campus grounds. <input type="checkbox"/> Smoking is prohibited within a 25-foot perimeter of all buildings. <input type="checkbox"/> Target date for campus-wide ban on smoking July 2009 	http://www.uiowa.edu/homepage/smoking/
Ohio State	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking or the use of other tobacco products is prohibited within the <i>designated tobacco-free zone</i>. <input type="checkbox"/> Considering a campus-wide ban on smoking. 	http://hr.osu.edu/policy/policy720.pdf
Purdue	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 30 feet of building entrances. 	http://www.purdue.edu/policies/pages/facilities_lands/i_4_2.html
Illinois	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 25 feet of building entrances. 	http://www.fs.uiuc.edu/cam/CAM/v/v-b-2.1.html
Wisconsin	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 25 feet of building entrances. 	http://eao.wisc.edu/policies/smoke-free.html
Michigan State	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 25 feet of building entrances. 	http://www.hr.msu.edu/HRsite/Documents/Uwide/Policies/SmokeFree.htm
Northwestern	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 25 feet of building entrances. 	http://www.northwestern.edu/hr/policies/ch7pol.pdf
Minnesota	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within 25 feet of building entrances. 	http://process.umn.edu/groups/ppd/documents/policy/smoke.cfm?view=all
Michigan	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within a reasonable distance of building entrances. 	http://spg.umich.edu/pdf/601.04.pdf
Penn State	<ul style="list-style-type: none"> <input type="checkbox"/> All buildings are currently smoke-free. <input type="checkbox"/> Smoking is prohibited within a reasonable distance of building entrances. 	http://guru.psu.edu/policies/AD32.html